

SPECIFICATION SHEET

規 格 圖 面

提出年月日 Date of application

2015 05 06
(year) (month) (date)

客戶

CUSTOMER

品名

Description :

LINE FILTER

客戶編號

CUST. Part Number :

得力編號:

DL Part Number :

UU9.8-201502

規格面提出區分 CLASSIFICATION OF SPEC.PRESENTATION. (Tick the relevant box “ √ ”)

☒ 新規 New application

☐ 新規部品追記 New part(s) is added to accepted specification

☐ 既存規格圖變更 Revision of accepted specification

备注 Note

盖上确认印后,請返回一份給我公司. Please send us the specification with acceptance stamp.

客戶受領印 (ACCEPTANCE STAMP)

承認 APPROVAL	審查 CHECK	作成 PREPARE
		

馬鞍山市得力電子廠

Add : 安徽省馬鞍市當塗縣護河鎮工業園


Tel : 0555-6793421

Fax : 0555-6793421


SPECIFICATION

CUSTOMER :		APPROVED BY
CUS. PART NO. :		
DL PART NO. : UU9.8-201502		
DATE : 2015/05/06		

1. DIMENSIONS (UNIT : mm)



2. CONNECTION (Bottom View)



3. TURNS , WIRE AND CORE

TERMINALS	TURNS	WIRE
W1(1 -2)	110TS(ref)	Φ0.20mm 2UEW
W1(4 - 3)	110TS(ref)	Φ0.20mm 2UEW
CORE	R10K OR Equivalent	

4. ELECTRICAL CHARACTERISTICS

Parameter / Item	Spec	Measuring Condition	Measuring Equipment
Inductance (1-2) &(3-4)	30.0mH min.	@ 1kHz, 0.3V	LCR 1062
Hi-pot (1,2, -3,4)	Should withstand	@ 2.0KVAC, 1min., 1mA	19053
DCR1-2/3-4	1.55 Ω MAX	A t 25° C	LCR 1062
Insulation Resistance	100 MΩ	@ DC 500V	19053

5. VARNISHED

APPROVED BY	CHECKED BY	DESIGNED BY	REVISION	PAGE1/2

SPECIFICATION

6. MATERIAL LIST

NO.	NAME	MARERIAL	RATING	UL NO.	MANUFACTURER
1	CORE	FERRITE R10K	NA	NA	KAITONG
2	BOBBIN	T375J	150℃	E59481(S)	Chang Chun Plastics
3	WIRE	POLYURETHANE (UEW)	155℃	E250708	KUNSHAN DELICONN
4	clip	Sus303	NA	NA	Lianen
5	Vanish	V 1630 FS	130℃	E73071	VIKING
6	SOLDER	Sn/Cu/Ag	NA	NA	TIANJIN SONGBEN ENVIVONMENTAL PROTECTION TECHNOLOGY CO.,LTD

APPROVED BY	CHECKED BY	DESIGNED BY	REVISION	PAGE:2/2
				