

CUSTOMER: _____

REV: B/1

承认书

SPECIFICATION FOR APPROVAL

PRODUCT NAME: 工 字 电 感

CUSTOMER'S PART NO.: PK0608-222 2.2mH


CUSTOMER'S CODE: 2.2mH DR6*8

MANUFACTURER'S PART NO.: _____

DATE: 2022.2.14

Please return to us one copy of "SPECIFICATION FOR APPROVAL"

With your approved signatures

APPROVED SIGNATURES		
 2022.2.14 周 勇	 2022.2.14 祝为婷	 2022.2.14 徐安静

安徽金力电子有限公司


TEL:(0555)6793421

FAX:(0555)67934241

1. IDENTIFICATION:


PART NO:

2. MECHANICAL DIMENSIONS: (UNIT:mm)




注：产品需加热缩套管

3. ELECTRICAL SCHEMATIC DIAGRAM:



APPROVED BY	CHECKED BY	DRAWN BY	NANJING COILTECH ELECTRONICS CO., LTD		
			PART NO.	2.2mH DR6*8	
			PART NAME	工字电感	
			REV	B/1	PAGE 1 OF 4

4. WINDING CONSTRUCTIONS:



WINDING NO.	TERMINALS	WIRE SIZE	TURNS (REF.)
N1	1----- 2	2UEW- 0.12	287.5Ts

APPROVED BY	CHECKED BY	DRAWN BY	NANJING COILTECH ELECTRONICS CO., LTD		
			PART NO.	2.2mH DR6*8	
			PART NAME	工字电感	
			REV	B/1	PAGE 2 OF 4

5.MATERIAL LIST:

NO.	ITEM	MATERIAL	TYPE	UL NO.	MANUFACTURER
1	CORE	NiZn J6	$\Phi 6 \times 8$		ZHUHAI JIACI
2	WIRE	MW75C 2UEW	$\Phi 0.12$	E158909 E231066 E217937	CHANGZHOU DAYANG WIRE & CABLE CO.,LTD WUXI TAIHU COPPER MATERIAL WORKS WIRE & CABLES FACTORY OF TONGLING NONFERROUS METAL
3	Heat-Shrinkable Tubings		$\Phi 6$	E203950	SHENZHEN WOER

6.ELECTRICAL CHARACTERISTICS:

1) INDUCTANCE:

$$L_{1-2} = 2.2\text{mH} \pm 20\% \quad (f=1\text{kHz}, U=0.3\text{v})$$

APPROVED BY	CHECKED BY	DRAWN BY	NANJING COILTECH ELECTRONICS CO., LTD		
			PART NO.	2.2mH DR6*8	
			PART NAME	工字电感	
			REV	B/1	PAGE 3 OF 4

7. ACCEPTANCE RULES:

According to GB2828-87 sampling procedures and table for lot-by-lot inspection by attributes to executive:

Inspection level: General inspection II class.

Sampling scheme: One time.

Inspection item:

- 1) Mechanical dimensions: AQL=0.65
 - 2) Electrical characteristics: AQL=0.25
 - 3) Packing: AQL=1.0
-

APPROVED BY	CHECKED BY	DRAWN BY	NANJING COILTECH ELECTRONICS CO., LTD		
			PART NO.	2.2mH DR6*8	
			PART NAME	工字电感	
			REV	B/1	PAGE 4 OF 4